

ZD-S200 Tyre Changer

Features

- Semi-automatic tyre changer with swinging arm for rapid head positioning to the rim.
- Integrated demounting, mounting and inflating the tyres, wide rim diameter capacity
- Self-centering function
- High alloy mounting head with optimised profiling and good wearing capacity
- Double clamping cylinders ensure accurate centering and reliable clamping
- With adjustable opening, bead breaker suitable for various size tyres
- The tyre lever and lubricant box within the reach of operator
- Equipped with traditional inflating gun.
- Nylon protector for mounting head and clamping jaws
- Manual locking of the horizontal and vertical head holder arm.
- Round turntable.



ZD-S200

Technical data

Model	ZD-S200
Rim clamping diameter (outer)	10"-19"
Rim clamping diameter (inner)	12"-21"
Rim width	3"-12"
Max. wheel diameter	1000mm
Working pressure	6-8bar
Bead breaker force	2500kgf
Turntable RPM	5.5rpm
Torque of turntable	1302Nm
Motor power	1.1/0.75kw
Weight	212kg
Power supply	110v/220v,380v 60Hz/50hz

ZD-S300 Tyre Changer

Features

- Semi-automatic tyre changer with swinging arm for rapid head positioning to the rim.
- Integrated demounting, mounting and inflating the tyres, wide rim diameter capacity
- Self-centering function
- High alloy mounting head with optimised profiling and good wearing capacity
- Double clamping cylinders ensure accurate centering and reliable clamping.
- With adjustable opening, bead breaker suitable for various size tyres
- The tyre lever and lubricant box within the reach of operator
- Equipped with box type inflating meter.
- Quick inflating device to make bead seating through air bursts from the turntable slides.
- Nylon protector for mounting head and clamping jaws
- Manual locking of the horizontal and vertical head holder arm.
- Square turntable.



ZD-S300

Technical data

Model	ZD-S300
Rim clamping diameter (outer)	10"-20"
Rim clamping diameter (inner)	12"-22"
Rim width	3"-12"
Max. wheel diameter	1000mm
Working pressure	8-10bar
Bead breaker force	2500kgf
Turntable RPM	5.5rpm
Torque of turntable	1302Nm
Motor power	1.1/0.75kw
Weight	250kg
Power supply	110v/220v, 380v 60Hz/50hz

ZD-C22AL Tyre Changer

Features

- Upper fixed helper device, genius structure, less space required.
- Easy & quick operation.
- Easy for assembling.
- With all similar functions of left & right helper devices.
- It can be used for all kinds of regular tyres and low-profile tyres.
- Square turntable.



ZD-C22AL

Technical data

Model	ZD-S200
Rim clamping diameter (outer)	11"-22"
Rim width	4"-15"
Max. wheel diameter	980mm
Working pressure	0.7-0.8Mpa
Bead breaker force	2500kgf
Turntable RPM	6.8rpm
Motor power	1.1/1.1/0.75kw
Packing size	1150x1000x960mm
Gross/net weight	310kg/260kg
Power supply	110v/220v,380v 60Hz/50hz